

ra Rubber & Accessories

Your Hose and Belting Resource

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



HOSE ACCESSORIES

PREFORMED CLAMPS




Preformed clamps are vibration resistant and require no hammering or crimping. Clamp is automatically locked under full tension in one simple lever movement. Preformed clamps are available in Type 201 stainless steel and galvanized carbon steel in five different widths.

CLAMP NO.	CLAMP I.D. INS.	BANDWIDTH INS.	STANDARD PK. QTY.	PRODUCT CODE	
				STAINLESS STEEL	HI-CARBON
40	3/4	1/4	100	11502	-----
41	13/8	1/4	100	11503	-----
1	7/8	3/8	100	11504	11520
2	13/8	3/8	100	11505	11521
3	1	1/2	100	11506	11522
4	1 1/4	1/2	100	11507	11523
5	1 1/2	5/8	100	11508	11524
6	1 3/4	5/8	100	11509	11525
7	2	5/8	100	11510	11526
8	2 1/4	5/8	100	11511	11527
9	2 1/2	5/8	100	11512	11528
10	2 3/4	3/4	50	11513	11529
11	3	3/4	50	11514	11530
12	3 1/2	3/4	50	11515	11531

13	4	3/4	25	11516	11532
14	4½	3/4	25	11517	11533
15	5	3/4	25	11518	11534
16	6	3/4	25	11519	11535

INSTALLATION TOOL & ADAPTER

A drop forged tool with tensioning capability of over 2,400lbs. and a built-in cutter. Features include: A spring loaded gripper lever for improved band tensioning - A friction held cutoff lever with plastic grip for easier operation - Permanent lubrication on the tension screw to extend tool life and speed clamping. - A zinc plated black chromate finish to provide superior corrosion resistance - A spin handle retaining ring to keep parts intact. Used with bulk banding material and preformed clamps.



TOOL	WEIGHT	PRODUCT CODE
C001	4.4 lbs.	11500
J001	1.4 lbs.	11501

BAND MATERIAL

WIDTH	PRODUCT CODE	
	201 STAINLESS	HI CARBON STEEL
1/4"	11536	
3/8"	11537	11542
1/2"	11538	11543
5/8"	11539	11544
3/4"	11540	11545

BUCKLES

WIDTH	PRODUCT CODE	
	201 STAINLESS	HI CARBON STEEL
1/4"	11546	
3/8"	11547	11552
1/2"	11548	11553
5/8"	11549	11554
3/4"	11550	11555

ra Rubber & Accessories

Your Hose and Belting Resource

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



HOSE ACCESSORIES

BOLT CLAMPS INTERLOCKING



HOSE I.D. SIZE	O.D. RANGE	PRODUCT CODE
3/8"	1 1/16" - 7/8"	09201
1/2"	7/8" - 1 1/16"	09203
1/2"	1 1/16" - 1 3/16"	09204
3/4"	1 3/16" - 1 5/16"	09205
3/4"	1 5/16" - 1 1/2"	09206
3/4"	1 1/2" - 1 11/16"	09207
1"	1 17/32" - 1 23/32"	09208
1"	1 15/16" - 2 1/8"	09210
1 1/4"	2 1/8" - 2 3/8"	09211
1 1/2"	2 3/16" - 2 3/8"	09212
1 1/2"	2 3/8" - 2 9/16"	09213
2"	2 9/16" - 2 3/4"	09214
2"	2 1/2" - 2 25/32"	09215

2"	$2 \frac{3}{4}'' - 3 \frac{1}{16}''$	09216
$2 \frac{1}{2}''$	$3 \frac{3}{32}'' - 3 \frac{7}{16}''$	09217
3"	$3 \frac{1}{2}'' - 3 \frac{15}{16}''$	09218
4"	$4 \frac{1}{4}'' - 4 \frac{13}{16}''$	09223

360° BOLT CLAMPS



HOSE I.D. SIZE	O.D. RANGE	PRODUCT CODE
1/2"	$1 \frac{3}{16}'' - 1 \frac{3}{32}''$	09840
3/4"	$1 \frac{3}{32}'' - 1 \frac{3}{8}''$	09841
1"	$1 \frac{5}{16}'' - 1 \frac{1}{2}''$	09842
1"L	$1 \frac{1}{2}'' - 1 \frac{11}{16}''$	09843
$1 \frac{1}{4}''$	$1 \frac{9}{16}'' - 2''$	09844
$1 \frac{1}{2}''$	$1 \frac{15}{16}'' - 2 \frac{3}{16}''$	09845
$1 \frac{1}{2}''$ L	$2 \frac{3}{16}'' - 2 \frac{3}{8}''$	09846
2"	$2 \frac{11}{32}'' - 2 \frac{11}{16}''$	09847
2"L	$2 \frac{11}{16}'' - 2 \frac{15}{16}''$	09848
3"	$3 \frac{11}{16}'' - 4 \frac{1}{8}''$	09849
4"	$4 \frac{11}{16}'' - 5 \frac{1}{8}''$	09851

AIR KING CLAMPS

for universal style fittings



HOSE I.D. SIZE	O.D. RANGE	PRODUCT CODE
$\frac{3}{8}$ "	$1\frac{1}{16}$ " - $\frac{7}{8}$ "	09404
$\frac{1}{2}$ "	$\frac{3}{4}$ " - $1\frac{5}{16}$ "	09405
$\frac{3}{4}$ "	1" - $1\frac{1}{4}$ "	09406
1"	$1\frac{1}{4}$ " - $1\frac{17}{32}$ "	09408

DOUBLE BOLT CLAMPS



PART NO	HOSE O.D. RANGE		PRODUCT NO
	FROM	TO	
DL20	$1\frac{3}{4}$ "	$2\frac{3}{64}$ "	09625
DL24	$2\frac{7}{64}$ "	$2\frac{19}{64}$ "	09626
DL32	$2\frac{5}{16}$ "	$2\frac{5}{8}$ "	09627
400	$3\frac{1}{2}$ "	4"	09609
463	$4\frac{1}{32}$ "	$4\frac{9}{32}$ "	09610
525	$4\frac{11}{16}$ "	$5\frac{1}{4}$ "	09611
550	5"	$5\frac{1}{2}$ "	09612
600	$5\frac{1}{2}$ "	$6\frac{1}{16}$ "	09613
675	$6\frac{1}{8}$ "	$6\frac{7}{8}$ "	09614
769	$6\frac{15}{16}$ "	$7\frac{5}{8}$ "	09615
818	$7\frac{11}{16}$ "	$8\frac{3}{16}$ "	09616
875	$8\frac{1}{4}$ "	$8\frac{7}{8}$ "	09617
988	$8\frac{15}{16}$ "	$9\frac{7}{8}$ "	09618
1125	$9\frac{15}{16}$ "	$11\frac{3}{8}$ "	09619
1275	$11\frac{7}{16}$ "	13"	09620
1360	$12\frac{3}{16}$ "	14"	09623
1450	$13\frac{1}{16}$ "	15"	09621
1700	$15\frac{1}{16}$ "	$17\frac{1}{2}$ "	09622

SINGLE BOLT CLAMPS



PART NO	HOSE O.D. RANGE		PRODUCT NO
	FROM	TO	
7	1 ³ / ₈ "	1 ¹⁷ / ₃₂ "	09586
8	1 ¹³ / ₃₂ "	1 ⁹ / ₁₆ "	09587
9	1 ¹⁷ / ₃₂ "	1 ²³ / ₃₂ "	09588
12	1 ⁷ / ₈ "	2 ¹ / ₁₆ "	09591
13	2"	2 ¹ / ₄ "	09592
14	2 ⁵ / ₃₂ "	2 ¹¹ / ₃₂ "	09593
15	2 ¹ / ₄ "	2 ¹ / ₂ "	09594
16	2 ³ / ₈ "	2 ⁵ / ₈ "	09595
17	2 ¹ / ₂ "	2 ³ / ₄ "	09596
18	2 ⁵ / ₈ "	2 ⁷ / ₈ "	09597
19	2 ⁷ / ₈ "	3 ¹ / ₁₆ "	09598
20	3 ¹ / ₁₆ "	3 ¹ / ₄ "	09599
21	3 ¹ / ₄ "	3 ⁷ / ₁₆ "	09600
22	3 ⁷ / ₁₆ "	3 ⁵ / ₈ "	09601
25	4 ¹ / ₈ "	4 ⁵ / ₁₆ "	09604
27	4 ⁷ / ₁₆ "	4 ⁵ / ₈ "	09606
28	4 ⁷ / ₈ "	5 ¹ / ₄ "	09608

[Previous Page](#) ||
 [View PDF of Hose Clamps](#) 

ra Rubber & Accessories

Your Hose and Belting Resource

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



HOSE CLAMPS

CENTER PUNCH CLAMPS

PREFORMED CLAMP - FOR INSTALLATIONS WHERE HOSE END IS FREE

Center punch clamps are available in 201 stainless steel or hard treated galvanized carbon steel. Center punch clamps are locked with a standard conical punch, ensuring a strong, powerful lock for reliable and consistent clamping.

Both 201 stainless steel and galvanized carbon steel center punch clamps are manufactured with 201 stainless steel buckles to provide maximum locking strength.

Clamps require installation with illustrated Center Punch Tools.



HEAVY DUTY STEEL
 3/8" BAND .020 THICK
 5/8" BAND .031 THICK

STAINLESS STEEL
 3/8" BAND .020 THICK
 5/8" BAND .023 THICK

BAND WIDTH	CLAMP I.D.	STANDARD PKG QTY	CATALOG NUMBER	PRODUCT CODE	CATALOG NUMBER	PRODUCT CODE
3/8"	13/16"	100	RA3	11559	RA3-S	11577
3/8"	13/8"	100	RA311	11560	RA311-S	11578
5/8"	1"	100	RA4	11561	RA4-S	11579
5/8"	1 1/4"	100	RA5	11563	RA5-S	11580
5/8"	1 1/2"	100	RA6	11564	RA6-S	11581
5/8"	1 3/4"	100	RA7	11565	RA7-S	11582
5/8"	2"	100	RA8	11566	RA8-S	11583
5/8"	2 1/4"	100	RA9	11567	RA9-S	11584
5/8"	2 1/2"	50	RA10	11568	RA10-S	11585
5/8"	2 3/4"	50	RA11	11569	RA11-S	11586
5/8"	3"	50	RA12	11570	RA12-S	11587
5/8"	3 1/2"	25	RA14	11571	RA14-S	11588
5/8"	4"	25	RA16	11572	RA16-S	11589
5/8"	4 1/2"	25	RA18	11573	RA18-S	11590
5/8"	5"	25	RA20	11574	RA20-S	11591

5/8"	6"	25	RA24	11575	RA24-S	11592
5/8"	7"	25	RA28	11576	RA28-S	11593

OPEN-END - FOR INSTALLATIONS WHERE HOSE END IS CONNECTED



Center punch open-end clamps are tensioned, then locked by striking tool punch with mallet or hammer.

BAND WIDTH	CLAMP I.D.	QTY	HEAVY DUTY STEEL	
			CATALOG NUMBER	PRODUCT CODE
			3/8" BAND .020 THICK	
			5/8" BAND .031 THICK	
5/8"	8"	25	RAO-32	11605
5/8"	9"	25	RAO-36	-----
5/8"	10"	25	RAO-40	11607
5/8"	12"	25	RAO-48	11608

CENTER PUNCH INSTALLATION TOOLS

T300



S38



Ratchet action tensioning tools are available for applying center punch and center punch open end clamps with a center punch lock.

DESCRIPTION	WEIGHT	CATALOG NUMBER	PRODUCT CODE
For 5/8" (15.88mm) wide clamps	3.15	T300	11556
3/8" Adapter Available for T300 Tool Upon Request. SPECIAL ORDER			
For 3/8" (9.53mm) and /8" (15.88mm) Wide Clamps	1.10	S38	11558
Mallet		M100	11557

[Previous Page](#) || [View PDF of Hose Accessories](#)

ra Rubber & Accessories

Your Hose and Belting Resource

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



HOSE CLAMPS

COMBO - HEX

Combines safety-collared 3/8" hex head screw design for easy, safe installation with either socket wrench or screwdriver.



PART NO.	CLAMP DIAMETER		LBS. PER 100	STD. CARTON CONTENT	PRODUCT CODE
	MIN.	MAX.			
"54" Series					
5406	3/8"	7/8"	5	500	03160
5408	7/16"	1"	5	500	03161
5410	1/2"	1 1/8"	5	500	03162
5412	1/2"	1 1/4"	5	500	03163
5416	3/4"	1 1/2"	6	500	03164
5420	3/4"	1 3/4"	6	500	03165
5424	1"	2"	7	500	03166
5428	15/16"	2 1/4"	7	500	03167
5432	9/16"	2 1/2"	7	500	03168
5436	7/8"	2 3/4"	7	500	03170
5440	1 1/8"	3"	8	200	03171
5444	15/16"	3 1/4"	8	200	03172

5448	15/8"	3½"	9	200	03173
5452	17/8"	3¾"	9	100	03174
5456	21/8"	4"	11	100	03175

Available in boxes of 10

"54" Series

300 Series stainless band and housing. Zinc-plated, yellow chromate, carbon steel screw.

[Previous Page](#) || [View PDF of Hose Accessories](#) 

Rubber & Accessories, Inc. | Lakeland, FL - 800.282.1734 || Tucker, GA - 800.647.3743 | Email: [INFO](#)

ra Rubber & Accessories

Your Hose and Belting Resource

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



HOSE ACCESSORIES

HY-GEAR CLAMPS

All Hy-Gear clamps feature full size 9/16" band width with one piece housing, and interlocked construction plus your choice of 3/8" or 5/16" hex head screw.

- Manufacturing
- Irrigation/Water System
- Marine
- Automotive/Truck
- Farm Machinery
- Construction Equipment
- Home Appliances



"68" SERIES - 5/16" HEX HEAD SCREW

300 Series stainless band and housing. 400 Series stainless screw. (400 series stainless steel is subject to magnetic attraction)

PART NO.	CLAMP DIAMETER		LBS. PER 100	STD. CARTON CONTENT	PRODUCT CODE
	MIN.	MAX.			
6806	3/8"	7/8"	5	200	03190
6808	7/16"	1"	5	200	03191
6810	1/2"	1 1/8"	5	500	03192
6812	1/2"	1 1/4"	5	500	03193
6816	3/4"	1 1/2"	5	500	03194
6820	3/4"	1 3/4"	6	500	03195
6824	1"	2"	6	500	03196
6828	1 5/16"	2 1/4"	7	500	03197
6832	1 9/16"	2 1/2"	7	500	03198
6836	7/8"	2 3/4"	7	200	03199
6840	1 1/8"	3"	8	200	03200
6844	1 5/16"	3 1/4"	8	200	03201

6848	1 5/8"	3 1/2"	9	200	03202
6852	1 7/8"	3 3/4"	10	100	03203
6856	2 1/8"	4"	10	100	03204
6864	2 5/8"	4 1/2"	11	100	03205
6872	3 1/8"	5"	11	100	03206
6880	3 5/8"	5 1/4"	14	100	03207
6888	4 1/4"	6"	15	100	03208
6896	4 3/4"	6 1/2"	15	100	03209
68104	4"	7"	16	100	03210
68116	5 7/8"	7 3/4"	16	50	03211

Available in boxes of 10

HOSE CLAMPS

"63" SERIES - 5/16" HEX HEAD SCREW

300 Series stainless band, housing and screw. A marine-grade quality clamp designed for corrosive environment. High nickel alloy stainless steel meets the demands of in ground and underwater applications.

PART NO.	CLAMP DIAMETER		LBS. PER 100	STD. CARTON CONTENT	PRODUCT CODE
	MIN.	MAX.			
6306	3/8"	7/8"	5	200	03280
6308	7/16"	1"	5	200	03281
6310	1/2"	1 1/8"	5	500	03282
6312	1/2"	1 1/4"	5	500	03283
6316	3/4"	1 1/2"	5	500	03284
6320	3/4"	1 3/4"	8	500	03285
6324	1"	2"	8	200	03286
6328	15/16"	2 1/4"	8	200	03287
6332	19/16"	2 1/2"	8	500	03288
6336	7/8"	2 3/4"	8	200	03289
6340	1 1/8"	3"	8	200	03290
6344	15/16"	3 1/4"	9	200	03291
6348	15/8"	3 1/2"	9	200	03292
6352	17/8"	3 3/4"	10	100	03293
6356	2 1/8"	4"	10	100	03294
6364	2 5/8"	4 1/2"	11	100	03295
6372	3 1/8"	5"	13	100	03296
6380	3 5/8"	5 1/2"	14	100	03297
6388	5 1/4"	6"	14	100	03298
6396	4 3/4"	6 1/2"	14	100	03299
63104	4"	7"	17	100	03300

63128	2½"	8½"	18	50	03302
63140	2½"	9¼"	18	50	03303
63152	2½"	10"	19	50	03304
63164	2½"	10¾"	20	50	03305
63176	2½"	11½"	21	50	03306
63188	2½"	12¼"	22	50	03307
63208	2½"	13¼"	23	50	03308
63224	2½"	14½"	24	50	03309
63236	2½"	15¼"	24	50	03310
63248	2½"	16"	25	50	03311
63312	2½"	20"	26	50	03316

Available in boxes of 10

"50" SERIES - 5/16" HEX HEAD SCREW

300 Series stainless band and housing. Zinc-plated, yellow chromate, carbon steel screw

PART NO.	CLAMP DIAMETER		LBS. PER 100	STD. CARTON CONTENT	PRODUCT CODE
	MIN.	MAX.			
5006	3/8"	7/8"	4	200	03115
5008	7/16"	1"	5	200	03116
5010	1/2"	1 1/8"	5	500	03117
5012	1/2"	1¼"	5	500	03118
5016	3/4"	1½"	5	500	03119
5020	3/4"	1¾"	6	500	03120
5024	1"	2"	6	500	03121
5028	15/16"	2¼"	7	500	03122
5032	19/16"	2½"	7	500	03123
5036	7/8"	2¾"	7	200	03124
5040	1 1/8"	3"	8	200	03125
5044	15/16"	3¼"	8	200	03126
5048	15/8"	3½"	8	200	03127
5052	17/8"	3¾"	9	100	03128
5056	2 1/8"	4"	9	100	03129
5064	2 5/8"	4½"	10	100	03130
5072	3 1/8"	5"	11	100	03131
5080	3 5/8"	5¼"	14	100	03132
5088	4¼"	6"	14	100	03133
5096	4¾"	6½"	15	100	03134
50104	4"	7"	16	100	03135

Available in boxes of 10

ra Rubber & Accessories

Your Hose and Belting Resource

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



HOSE ACCESSORIES

MICRO-GEAR

Tiny – Tough – Precision Engineered.

- Seals with only 10 inch-pounds of screw torque.
- One piece housing.
- No spot welds.
- Easy to install in confined areas.



PART NO.	CLAMP DIAMETER		LBS. PER 100	STD.	PRODUCT CODE
	MIN.	MAX.		CARTON CONTENT	
"62M" Series					
62602	1/4"	5/8"	2	1000	03061
62M05	7/16"	11/16"	2	1000	03062
62606	5/16"	7/8"	2	1000	03063
62M08	1/2"	1"	2	500	03064
62M12	5/8"	1 1/4"	2	500	03066
62M16	5/8"	1 1/2"	2	500	03067
62M20	3/4"	1 3/4"	2	500	03068
62M24	1"	2"	2	500	03069
62M30	1 3/8"	3 3/8"	2	500	03071
62M36	1 3/4"	2 3/4"	3	500	03073
62M44	2 1/4"	3 1/4"	3	200	03075
62M48	2 1/2"	3 1/2"	3	200	03076
62M56	3"	4"	3	100	03078
"62P" Series					
6202	1/4"	5/8"	2	1000	03001
6203	5/16"	5/8"	2	1000	03002
62P08	1/2"	1"	2	500	03004
62P12	5/8"	1 1/4"	2	500	03006

62P16	5/8"	1 1/2"	2	500	03007
62P20	3/4"	1 3/4"	2	500	03008
62P24	1"	2"	2	500	03009
62P30	1 3/8"	2 3/8"	2	500	03011
62P36	1 3/4"	2 3/4"	3	500	03013
62P44	2 1/4"	3 1/4"	3	200	03015
62P48	2 1/2"	3 1/2"	3	200	03016
62P56	3"	4"	3	100	03018

Available in boxes of 10

"62M" Series

300 Series marine-grade band, housing, and screw

"62P" Series

300 Series stainless steel band and housing. Zinc-plated, yellow chromate, carbon steel screws

[Previous Page](#)



[View PDF of Hose Clamps](#) 

ra Rubber & Accessories

Your Hose and Belting Resource

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



HOSE ACCESSORIES

POW'R GEAR CLAMPS



"6X" SERIES POW'R-GEAR EXTENDED RANGE

PART NO.	CLAMP DIAMETER		LBS. PER 100	STD. CARTON CONTENT	PRODUCT CODE
	MIN.	MAX.			
6X200	1 1/4"	2 5/8"	10	200	03510
6X300	2 1/8"	4 1/8"	12	100	03514
6X400	4"	6 1/8"	15	50	03518
6X500	6 1/8"	9 1/8"	20	50	03522

Available in boxes of 10

[Previous Page](#)
 ||
 [View PDF of Hose Clamps](#)


ra Rubber & Accessories

Your Hose and Belting Resource

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



HOSE ACCESSORIES - SNAPLOCK CLAMPS

Swivel-action locking of screw to band makes Snaplock a truly versatile clamp. Unlike standard worm drive clamps, Snaplock is quickly opened and closed. Installation is easier, especially in "closed" systems where the clamp must be opened to be applied.



- Air Filtration
- Communications
- Shipbuilding
- Pollution Control
- Data Processing

"56" SERIES

300 Series stainless band and housing, zinc-plated, yellow chromate, carbon steel bridge and 5/16" screw.

PART NO.	CLAMP DIAMETER		LBS. PER 100	STD. CARTON CONTENT	PRODUCT CODE
	MIN.	MAX.			
5612	1/2"	1 1/4"	6	500	03323
5620	3/4"	1 3/4"	7	500	03325
5628	1"	2 1/4"	7	500	03327
5636	7/8"	2 3/4"	8	200	03329
5648	1 5/8"	3 1/2"	9	200	03352
5656	1"	4"	9	100	03354
5672	2"	5"	13	100	03356
5688	2"	6"	14	100	03358
56104	2"	7"	16	100	03360
56116	2"	7 3/4"	16	50	03361
56128	2 1/2"	8 1/2"	17	250	03362
56152	2 1/2"	10"	18	250	03364
56188	2 1/2"	12"	20	250	03367

"58" SERIES

300 Series stainless band and housing.

400 Series stainless bridge and 3/8" screw.

(400 series s/s is subject to magnetic attraction)

PART NO.	CLAMP DIAMETER		LBS. PER 100	STD. CARTON CONTENT	PRODUCT CODE
	MIN.	MAX.			
*5812	1/2"	1 1/4"	6	500	03384
*5820	3/4"	1 3/4"	7	500	03386
*5824	1"	2"	7	500	03387
*5828	1"	2 1/4"	7	500	03388
*5836	7/8"	2 3/4"	8	200	03390
*5848	1 5/8"	3 1/2"	9	200	03393
*5856	1"	4"	9	100	03396
*5872	2"	5"	11	100	03398
*5888	2"	6"	13	100	03400
*58104	2"	7"	15	100	03403
58116	2"	7 3/4"	12	50	03404
58128	2 1/2"	8 1/2"	16	250	03405
58152	2 1/2"	10"	17	250	03407
58188	2 1/2"	12"	18	250	03410

[Previous Page](#)



[View PDF of Hose Clamps](#) 

ra Rubber & Accessories

Your Hose and Belting Resource

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



HOSE ACCESSORIES

HIGH PERFORMANCE WORM DRIVE CLAMPS

PART NO.	CLAMP DIAMETER		LBS. PER 100	STD. CARTON CONTENT	PRODUCT CODE
	MIN.	MAX.			
60175	1"	1 3/4"	9	200	03530
60200	1 1/4"	2 1/8"	9	200	03531
60250	1 3/4"	2 5/8"	10	200	03532
60300	2 1/4"	3 1/8"	11	200	03533
60350	2 3/4"	3 5/8"	12	100	03534
60400	3 1/4"	4 1/8"	12	100	03535
60450	3 3/4"	4 5/8"	13	100	03536
60500	4 1/4"	5 1/8"	14	100	03537
60550	4 3/4"	5 5/8"	15	50	03538
60600	5 1/4"	6 1/8"	16	50	03539
60650	5 3/4"	6 5/8"	16	50	03540
60700	6 1/4"	7 1/8"	17	50	03541
60750	6 3/4"	7 5/8"	18	50	03542
60800	7 1/4"	8 1/8"	19	50	03543
60850	7 3/4"	8 5/8"	19	50	03544
60900	8 1/4"	9 1/8"	20	50	03545

1/2" BAND CLAMPS "67-5" SERIES

1/2" band clamps are suitable for most common home and automotive applications.

Screw: 5/16" hex-head. 300 Series marine grade stainless steel.

Band material and housing: 1/2" wide. 300 Series marine grade stainless steel.

PART NO.	CLAMP DIAMETER		LBS PER 100	STD CARTON CONTENT	PRODUCT CODE
	MIN.	MAX.			
6706-5	3/8"	7/8"	4	200	03430
6708-5	7/16"	1"	4	200	03431
6710-5	1/2"	11/16"	4	500	03432
6712-5	1/2"	1 ¼"	5	500	03433
6716-5	3/4"	1 ½"	5	500	03434
6720-5	3/4"	1 ¾"	5	500	03435
6724-5	1"	2"	6	500	03436
6728-5	15/16"	2 ¼"	6	500	03437
6732-5	19/16"	2 ½"	6	500	03438
6736-5	7/8"	2 ¾"	6	500	03439
6740-5	1 1/8"	3"	6	500	03440
6744-5	15/16"	3 ¼"	6	200	03441
6748-5	15/8"	3 ½"	7	200	03442
6752-5	17/8"	3 ¾"	7	100	03443
6756-5	2 1/8"	4"	7	100	03444
6764-5	25/8"	4 ½"	8	100	03445
6772-5	3 1/8"	5"	8	100	03446
6780-5	35/8"	5 ½"	9	100	03447
6788-5	4 ¼"	6"	9	100	03448
6796-5	4 ¾"	6 ½"	10	100	03449

>Available in boxes of 10

[Previous Page](#)



[View PDF of Hose Clamps](#) 

ra Rubber & Accessories

Your Hose and Belting Resource

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



OUR MISSION

is to continue to build our business on the solid foundation of ethics, service and reliability.

OUR INTENTION

is to profit, but only in such a manner as to be compatible with these guidelines.

Our combined years of experience in the industrial rubber industry is substantial and because of this we feel uniquely qualified and deeply honored to serve the industrial rubber needs of our customers.

TERMS AND CONDITIONS

- Payment: Net 30 days, subject to credit approval. Discounts improperly taken will be charged back. A service charge of 1½% per month will be made on all delinquent accounts.
- Freight: Full freight allowed on orders of \$2,500 net or more to one destination East of the Mississippi
- Prices: Subject to change without notice.
- Warranty: All products are guaranteed against defective material and/or workmanship. Warranty or guarantee is limited to the purchase of merchandise only.
- Credit: Permission must be granted before any merchandise can be returned for credit. A return Authorization Number must accompany all returned merchandise.

MAILING ADDRESS

FLORIDA

Warehouse / Sales Office

2120 Edgewood Drive So.
Lakeland, FL 33803

GEORGIA

Warehouse / Sales Office
4754-F. N. Royal Atlanta Dr.
Tucker, GA 30084

Remit to:

P.O. Box 777
Eaton Park, FL 33840

PHONE

lakeland office/warehouse

Local: 863-665-6115
Fax: 863-665-4540
Toll Free: 800-282-1734

atlanta office/warehouse

Local: 770-934-6062
Fax: 770-934-9024
Toll Free: 800-647-3743

Copyright 2009 - by Rubber & Accessories, Inc. All rights reserved. No part of this catalog may be reproduced or transmitted in any form or by any means, electronic or mechanical, including, but not limited to, photocopy, recording or information storage without permission in writing from the publisher.

Rubber & Accessories, Inc. | Lakeland, FL - 800-282-1734 | |Tucker, GA - Phone: 800-647-3743 | Email: [INFO](#)

ra Rubber & Accessories

Your Hose and Belting Resource

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



QUOTE REQUEST / ORDER FORM

*Denotes Required Field

Please provide the following contact information:

First name*
 Last name*
 Title
 Company*
 Street address*
 Address (cont.)
 City*
 State*
 Zip/Postal Code*
 Country
 Phone # *
 Fax #
 E-mail
 Attention:

Please describe the items you would like additional information about from our Company:

Please complete the following ordering information if you know what products you would like to order:

Product Code	QTY	Item DESCRIPTION
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>

Choose one of the following options:

Please Fax Quote To My Attention

Please Quote the Following Items Please Place My Order

©Copyright 2009 - Rubber and Accessories All Rights Reserved. - Site maintenance by Huskie Internet

Rubber & Accessories, Inc. | Lakeland, FL - 800.282.1734 | | Tucker, GA - 800.647.3743 | Email: [INFO](#)
