

# Rubber & Accessories

**Your Hose and Belting Resource**

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



## HOSES - HOSE COUPLERS AND ADAPTERS

### BRASS GHT COUPLINGS



HOSE SIZE	THREAD SIZE	MALE	FEMALE
3/8"	3/4" GHT	09293	09294
1/2"	3/4" GHT	09295	09296
5/8"	3/4" GHT	09297	09298
3/4"	3/4" GHT	09299	09300
<b>PRODUCT CODE</b>			
WASHERS	09301		

### GHT BRASS ADAPTERS



GHT X IPT	PRODUCT CODE
3/4" Female GHT x 1/2" Female IPT	09302
3/4" Female GHT x 3/4" Female IPT	09303
3/4" Female GHT x 1/2" Male IPT	09304
3/4" Female GHT x 3/4" Male IPT	09305

[Previous Page](#) || [View PDF of Hose Couplers](#)

# ra Rubber & Accessories

**Your Hose and Belting Resource**

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



## HOSES - BRASS INSERTS



HOSE SIZE	THREAD SIZE	MALE	FEMALE
1/4"	1/8"	09269	----
1/4"	1/4"	09270	09281
1/4"	3/8"	09271	09888
5/16"	1/4"	09272	09282
3/8"	1/4"	09273	09283
3/8"	3/8"	09274	09284
3/8"	1/2"	09275	----
1/2"	1/4"	09276	----
1/2"	3/8"	09277	----
1/2"	1/2"	09278	09285
3/4"	3/4"	09279	09286
1"	1"	09280	----

[Previous Page](#)
 || 
 [View PDF of Hose Couplers](#)


# ra Rubber & Accessories

## Your Hose and Belting Resource

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



## HOSE ACCESSORIES - FIRE HOSE COUPLINGS

### FIRE HOSE COUPLINGS

Cast Brass-Pin Lug or Aluminum Rocker Lug. National Standard Thread or NPSH Thread. For Mill Hose and Single Jacket Fire Hose or Rack Hose. When ordering specify thread type.



Brass



Aluminum

HOSE SIZE	HOSE TYPE	LUG TYPE	BRASS **		ALUMINUM **	
			NST	IPT	NST	IPT
1½"	SJ	P.L.	09666	09667	----	----
1½"	SJ	R.L.	----	----	09670	09671
2"	SJ	R.L.	----	----	----	09674
2½"	SJ	P.L.	09668	09669	----	----
2½"	SJ	R.L.	----	----	09672	09673

\* Male and Female Complete  
 \*\* Priced as Complete Sets Only

### INDIVIDUAL COUPLINGS - BRASS ONLY

HOSE SIZE	THREAD TYPE	HOSE TYPE	IPT	NST
1½"	Male	SJ	09901	09678
1½"	Female	SJ	09902	09679
2½"	Male	SJ	09903	09680
2½"	Female	SJ	09904	09681

## SPANNER WRENCHES (PIN LUG)



SIZE	PRODUCT CODE
1½"	09683
2"	09684
2½"	09685
3"	09686
4"	09687
UNIVERSAL TYPE for 1" - 3"	09688

## UNIVERSAL HYDRANT WRENCH

Adjustable combination hydrant and spanner wrench. Malleable iron head and 7/8" steel handle. For pentagon hydrant nuts up to 1 3/4" from point to flat. Also notched to fit 1 1/4" square hydrant nut. Spanner for pin lug and Rocker lug couplings, 1 1/2" thru 6". Overall length 18".

### PRODUCT CODE

09698

[Previous Page](#)



[View PDF of Fire Hose Accessories](#) 

# ra Rubber & Accessories

**Your Hose and Belting Resource**

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



## HOSE COUPLINGS - FLANGED COUPLINGS

### FLANGED HOSE INSERTS - 316 STAINLESS



PIPE SIZE	PRODUCT CODE
1 1/2"	09455
2"	09456
3"	09457
4"	09458
6"	09459
8"	09460

### THREADED CARBON STEEL FLANGES (150 LB.)



PIPE SIZE	PRODUCT CODE
1½"	09422
2"	09423
2½"	09424
3"	09425
4"	09426
5"	09427
6"	09428
8"	09430
10"	09431
12"	09432

[Previous Page](#) || [View PDF of Hose Couplings](#) 

# ra Rubber & Accessories

**Your Hose and Belting Resource**

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



## HOSE COUPLINGS

### FOOTVALVES



SIZE	VALVE COMP.	STRAINER ONLY	GASKET ONLY	SEAT PLATE	GASKET W/ WASHER AND SCREW
1½"	09493	09515	09559	09548	09537
2"	09494	09516	09560	09549	09538
2½"	09495	09517	09561	09550	09539
3"	09496	09518	09562	09551	09540
4"	09497	09519	09563	09552	09541
6"	09499	09521	09565	09554	09543
8"	09500	09522	09566	09555	09544

# ra Rubber & Accessories

**Your Hose and Belting Resource**

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



## HOSE ACCESSORIES - NOZZLES & ADAPTERS

### BRASS FOG NOZZLE



SIZE	IPT	GHT	NST
3/4" x 6" x 1/4"	09644	09643	----
1" x 8" x 5/16"	09645	----	----
1 1/4" x 10" x 3/8"	09646	----	----
1 1/2" x 10" x 1/2"	09647	----	09648
2" x 12" x 9/16"	09649	----	----
2 1/2" x 12" x 7/8"	09650	----	09651

### BRASS TAPERED NOZZLES



SIZE	THREAD	PRODUCT CODE
1"	IPT	09780
1 1/2"	IPT	09652
1 1/2"	NST	09653
2 1/2"	IPT	09778
2 1/2"	NST	09779

Available with either National Standard or NPSH thread.  
 Nozzle adjustment for shut off, Straight Stream or Fog.

## PLASTIC FOG NOZZLE



SIZE	THREAD	PRODUCT CODE
1½" ONLY	IPT	09656
	NST	09657

Available with either National Standard or NPSH thread.  
Nozzle adjustment for shut off, Straight Stream or Fog.

## ADAPTERS (PIPE & FIRE HOSE)

### SWIVEL ADAPTERS



Male Pipe X Female Pipe Swivel



Female Pipe X Female Pipe Swivel

MALE OR FEMALE PIPE THREAD	FEMALE SWIVEL PIPE THREAD	FEMALE MALE	FEMALE FEMALE
1/4"	1/4"	09782	09787
3/8"	3/8"	09783	09788
1/2"	1/2"	09784	09789
1/2"	3/4"	09795	----
3/4"	3/4"	09785	09790
1"	1"	09786	09791
1¼"	1¼"	----	09792
1½"	1½"	----	09793
2"	2"	----	09794

### ADAPTERS

Cast Brass-Pin Lug and Hex Adapter



FEMALE X MALE	PRODUCT CODE
1½" Female IPT X ¾" Male GHT	09631
1" Female IPT X 1" Male IPT	09632
1" Female IPT X 1½" Male NST	09633

1½" Female NST X 1½" Male IPT	09634
2" Female IPT X 1½" Male NST	09635
2½ " Female NST X ¾" Male GHT	09689
2½" Female NST x 1½" Male NST	09636
2½" Female NST x 1½" Male IPT	09637
2½" Female NST x 2" Male IPT	09638
2½" Female NST x 2½" Male IPT	09639
2½" Female IPT x 2½" Male NST	09641



MALE X MALE	PRODUCT CODE
1½" Male NST x 1½" Male IPT	09772
2½ " Male NST x 2" Male IPT	09642
2½" Male NST x 2½" Male IPT	09771

[Previous Page](#) || [View PDF of Hose Accessories](#) 

# ra Rubber & Accessories

**Your Hose and Belting Resource**

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



## HOSE COUPLINGS

### EXTERNALLY SWAGED/CRIMPED COUPLINGS MALE PIPE ENDS

Designed for hose sizes up to and including 10" I.D. with carbon steel Stems and Ferrules. Stainless steel stems and ferrules are available for hose sizes up to and including 6" I.D.



#### Plated Carbon Steel Stem with Plated Carbon Steel Ferrule

##### SWAGED

HOSE I.D.	PRODUCT CODE
1 ¼"	10600
1 ½"	10601
2"	10602
2 ½"	10603
3"	10604
4"	10605

##### CRIMP

HOSE I.D.	PRODUCT CODE
2"	10620
2 ½"	10606

#### Stainless Steel Stem with Stainless Steel Ferrule

##### CRIMPED

HOSE I.D.	PRODUCT CODE
1 ½"	10625
2"	10626
3"	10627
4"	10628

Includes appropriate ferrule for Hose O.D.  
FOR HOSE: Wire Braid - Textile Braid - Air Hose - Water Hose

### CAM & GROOVE ENDS W/ LOCKING HANDLE & LOCKING COLLAR

Designed to provide maximum coupling retention on chemical transfer and acid hoses. extensive testing confirms maximum level of safety.

### STAINLESS STEEL PART C - LOCKING HANDLE WITH STAINLESS STEEL FERRULE



HOSE I.D.	PRODUCT CODE*
1½"	13430
2"	13432
3"	13434
4"	13436

### PART E - STAINLESS STEEL WITH STAINLESS STEEL FERRULE



HOSE I.D.	PRODUCT CODE*
1½"	13440
2"	13442
3"	13444
4"	13446

### PLASTER AND GROUT HOSE COUPLINGS

Provides full flow capabilities for maximum delivery of abrasive material eliminating internal build up between hose I.D. and coupling shank.

#### Victaulic End

MPT AND HOSE I.D.	PRODUCT CODE
2"	09348

## Heavy Duty Raised

MPT AND HOSE I.D.

PRODUCT CODE

2"

09351

### Male End



MPT AND HOSE I.D.

PRODUCT CODE

2"

09349

## BRASS PETROLEUM HOSE COUPLINGS

Expressly for petroleum and fuel oil delivery hose.



### Male Ends - IPT

HOSE I.D.

PRODUCT CODE

3/4"

09306

1"

09308

1 1/4"

09310

1 1/2"

09314

2"

09316

2 1/2"

09318

3"

09320

4"

09322

### Female Ends - IPT

HOSE I.D.

PRODUCT CODE

3/4"

09307

1"

09309

1 1/4"

09311

1 1/2"

09315

2"

09317

2½"	09319
3"	09321
4"	09323

## CURB PUMP HOSE COUPLINGS

### Male End - MPT Chrome Plated



MPT AND HOSE I.D.	PRODUCT CODE
¾"	09324

## SANITARY COUPLINGS

Provides full flow capabilities which eliminates bacteria build up for food and beverage applications such as wine, beer, juice, vegetables, and dairy products. These couplings, gaskets, and ferrules are USDA approved and are available with the 3-A Standards for hose assemblies. All coupling stems are 316 stainless steel.

## I-LINE



HOSE I.D.	INTERNALLY EXPANDED	CRIMPED
3" Male	10067	10055
3" Female	10068	10056
4" Male	----	10103
4" Female	----	10104

## TRI-CLAMP



HOSE I.D.	INTERNALLY EXPANDED	CRIMPED
1½"	10071	10090

2"	10072	10091
2½"	10074	10092
3"	10070	10093
4"	10073	10094

## MALE END



HOSE I.D.	PRODUCT CODE
2"	10077
3"	10076
4"	10078

## WELD TUBE END



HOSE I.D.	PRODUCT CODE
2"	10087
3"	10085
4"	10088

## BEVEL END W/ NUT



HOSE I.D.	INTERNALLY EXPANDED	CRIMPED
2"	10082	10096
3"	10080	10098
4"	10083	10099

[Previous Page](#) || [View PDF of Hose Couplings](#) 

---

Rubber & Accessories, Inc. | Lakeland, FL - 800.282.1734 || Tucker, GA - 800.647.3743 | Email: [INFO](#)

---

# ra Rubber & Accessories

**Your Hose and Belting Resource**

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



## HOSE PRODUCTS

### HIGH PRESSURE AIR-WATER-STEAM HOSE COUPLINGS



SIZE I.D.	PRODUCT CODE		
	MALE IPT STEM	FEMALE G.J.	FEMALE VITON SEAL
1/2"	09135	09149	09810
3/4"	09138	09150	09811
1"	09140	09151	09812
1 1/4"	09141	09152	09813
1 1/2"	09142	09153	09814
2"	09143	09154	09815
2 1/2"	09144	09155	----
3"	09145	09156	09820
4"	09146	----	09821

### AGRICULTURAL-HIGH PRESSURE SPRAY HOSE COUPLINGS



SIZE HOSE X GHT	PRODUCT CODE	
	MALE	FEMALE
3/8" x 3/4"	09091	09092

---

1/2" x 3/4"	09093	09094
3/4" x 3/4"	09095	09096
<b>WASHERS</b>	<b>PRODUCT CODE</b>	
3/4" Leather	09097	

---

[Previous Page](#) || [View PDF of Hose Couplings](#) 

# ra Rubber & Accessories

Your Hose and Belting Resource

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



## HOSE COUPLINGS - QUICK DISCONNECT FITTINGS

### QUICK DISCONNECT COUPLINGS



SIZE	ALUMINUM.	BRASS	STAINLESS STEEL	POLYPROPYLENE	CAM & GROOVE	
					ALUMINUM	STAINLESS STEEL
1/2"				13470		13600
3/4"	13000	13088	----	13360	13500	13601
1"	13001	13089	13176	13361	13501	13602
1 1/4"	13002	13090	13177	13362	13502	----
1 1/2"	13003	13091	13178	13363	13503	13604
2"	13004	13092	13179	13364	13504	13605
2 1/2"	13005	13093	----	----	13505	----
3"	13006	13094	13180	13365	13506	13607
4"	13007	13095	13181	----	13507	13608
5"	13008	13096	----	----	13508	----
6"	13009	13097	----	----	13509	13609
8"	13010	13098	----	----	13510	----

PART "A"  
FEMALE ADAPTER



	SIZE	ALUMINUM.	BRASS	STAINLESS STEEL	POLYPROPYLENE	CAM & GROOVE	
						ALUMINUM	STAINLESS STEEL
PART "B" MALE COUPLER	1/2"				13471		
	3/4"	13011	13099	----	13369	13512	13611
	1"	13012	13100	13182	13370	13513	13612
	1 1/4"	13013	13101	13183	13371	13514	----
	1 1/2"	13014	13102	13184	13372	13515	13614
	2"	13015	13103	13185	13373	13516	13615
	2 1/2"	13016	13104	----	----	13517	----
	3"	13017	13105	13186	13374	13518	13617
	4"	13018	13106	13187	----	13519	13618
	5"	13019	13107	----	----	13520	----
	6"	13020	13108	----	----	13521	----
8"	13021	13109	----	----	----	----	



	SIZE	ALUMINUM.	BRASS	STAINLESS STEEL	POLYPROPYLENE	CAM & GROOVE	
						ALUMINUM	STAINLESS STEEL
PART "C" HOSE SHANK COUPLER	1/2"				13472		13620
	3/4"	13022	13110	----	13378	13523	13621
	1"	13023	13111	13188	13379	13524	13622
	1 1/4"	13024	13112	13189	13380	13525	----
	1 1/2"	13025	13113	13251	13381	13526	13624
	2"	13026	13114	13252	13382	13527	13625
	2 1/2"	13027	13115	----	----	13528	----
	3"	13028	13116	13253	13383	13529	13627
	4"	13029	13117	13254	----	13530	13628
	5"	13030	13118	----	----	13531	----
	6"	13031	13119	13353	----	13532	13629
8"	13032	13120	----	----	13533	----	



	SIZE	ALUMINUM.	BRASS	STAINLESS STEEL	POLYPROPYLENE	CAM & GROOVE	
						ALUMINUM	STAINLESS STEEL
PART "D" FEMALE COUPLER	1/2"	----	----	----	13473	----	13630
	3/4"	13033	13121	----	13387	13534	13631
	1"	13034	13122	13194	13388	13535	13632
	1¼"	13035	13123	13195	13389	13536	----
	1½"	13036	13124	13245	13390	13537	13634
	2"	13037	13125	13246	13391	13538	13635
	2½"	13038	13126	----	----	13539	----
	3"	13039	13127	13248	13392	13540	13637
	4"	13040	13128	13249	----	13541	13638
	5"	13041	13129	----	----	13542	----
	6"	13042	13130	----	----	13543	----
	8"	13043	13131	----	----	----	----



	SIZE	ALUMINUM.	BRASS	STAINLESS STEEL	POLYPROPYLENE	CAM & GROOVE	
						ALUMINUM	STAINLESS STEEL
PART "E" SHANK HOSE ADAPTER	1/2"	----	----	----	13474	----	13640
	3/4"	13044	13132	----	13396	13545	13641
	1"	13045	13133	13200	13397	13546	13642
	1¼"	13046	13134	13201	13398	13547	----
	1½"	13047	13135	13801	13399	13548	13644
	2"	13048	13136	13802	13400	13549	13645
	2½"	13049	13137	----	----	13550	----
	3"	13050	13138	13803	13401	13551	13647
	4"	13051	13139	13804	----	13352	13648
	5"	13052	13140	----	----	13553	----
	6"	13053	13141	13354	----	13554	13649
	8"	13054	13142	----	----	13555	----



	SIZE	ALUMINUM.	BRASS	STAINLESS STEEL	POLYPROPYLENE	CAM & GROOVE	
						ALUMINUM	STAINLESS STEEL
PART "F" MALE ADAPTER	1/2"	----	----	----	13475	----	----
	3/4"	13055	13143	----	13405	13556	13651
	1"	13056	13144	13206	13406	13557	13652
	1 1/4"	13057	13145	13207	13407	13558	----
	1 1/2"	13058	13146	13208	13408	13559	13654
	2"	13059	13147	13209	13409	13560	13655
	2 1/2"	13060	13148	----	----	13561	----
	3"	13061	13149	13210	13410	13562	13657
	4"	13062	13150	13211	----	13563	13658
	5"	13063	13151	----	----	13564	----
	6"	13064	13152	----	----	13565	13659
	8"	13065	----	----	----	----	----



	SIZE	ALUMINUM.	BRASS	STAINLESS STEEL	POLYPROPYLENE	CAM & GROOVE	
						ALUMINUM	STAINLESS STEEL
PART "DC" DUST CAP	1/2"	----	----	----	13476	----	----
	3/4"	13066	13154	----	13414	13567	----
	1"	13067	13155	13212	13415	13568	----
	1 1/4"	13068	13156	13213	13416	13569	----
	1 1/2"	13069	13157	13214	13417	13570	13664
	2"	13070	13158	13215	13418	13571	13665
	2 1/2"	13071	13159	----	----	13572	----
	3"	13072	13160	13216	13419	13573	13667
	4"	13073	13161	13217	----	13574	13668
	5"	13074	13162	----	----	13575	----
	6"	13075	13163	----	----	13576	----
	8"	13076	----	----	----	----	----



	SIZE	ALUMINUM	BRASS	STAINLESS STEEL	POLYPROPYLENE	CAM & GROOVE	
						ALUMINUM	STAINLESS STEEL
PART "DP" DUST PLUG	1/2"	----	----	----	13477	----	----
	3/4"	13077	13165	----	13423	13578	----
	1"	13078	13166	13218	13424	13579	----
	1 1/4"	13079	13167	13219	13425	13580	----
	1 1/2"	13080	13168	13220	13426	13581	13674
	2"	13081	13169	13221	13427	13582	13675
	2 1/2"	13082	13170	----	----	13583	----
	3"	13083	13171	13222	13428	13584	13677
	4"	13084	13172	13223	----	13585	13678
	5"	13085	13173	----	----	13586	----
	6"	13086	13174	----	----	13587	----
	8"	13087	----	----	----	----	----
SPECIALS	3020BA		13272	----	13278	----	----
	4030BA		13269	----	----	----	----
	SA2030		13273	----	----	----	----
	SA2030		13274	----	13275	----	----
	30AW		----	----	13276	----	----

Please call with special requirements

## QUICK COUPLER GASKETS

SIZE I.D.	BUNA-N	NEOPRENE	VITON
3/4"	13290	13279	----
1"	13291	13280	13301
1 1/4"	13292	13281	13302
1 1/2"	13293	13282	13303
2"	13294	13283	13304
2 1/2"	13295	13284	13305
3"	13296	13285	13306
4"	13297	13286	13307
5"	13298	13287	----
6"	13299	13288	13308
8"	13300	13289	13309

Buna-N standard Gasket supplied in all Quick Disconnect Couplings.

## REPLACEMENT HANDLE ASSEMBLY





SIZE I.D.	BRASS W/PIN & RING	STAINLESS W/PIN & RING
3/4"	13310	13316
1"	13310	13316

1¼"	13311	13317
1½"	13311	13317
2"	13311	13317
2½"	13311	13317
3"	13313	13318
4"	13313	13318
5"	13313	13318
6"	13314	13319
8"	13315	----

## INTERCHANGEABLE - SEMI-AUTOMATIC, STRAIGHT-THROUGH

### FEATURES

- Ideal for transferring liquids or gases where frequent coupling and uncoupling is required.
- Positive, pressure-tight, sleeve-locking connection.
- To connect, simply slide back sleeve, insert plug, and release sleeve.
- Locks automatically.
- Designed to provide full unrestricted flow.
- Sockets are designed to reduce efforts of side-loading and lateral-flexing caused by pump output and operator manipulation of spray wand.
- Plugs have larger internal bearing surfaces to improve lateral stability.
- Plug tips are designed to enhance seal.
- 3/8" sockets have 9 locking balls for high pressure washer service.
- Coupling ID equals nominal pipe or supply hose.
- 1/4 to 1-inch models: brass socket body, steel sleeve, plated steel plug.
- 1¼ to 2-inch models: brass socket body, steel sleeve, plated steel plug.

PART	PART NO.	BODY SIZE	THREAD SIZE	PRODUCT CODE
<b>COUPLER FEMALE PIPE THREAD</b> 	STCF4-4	1/4"	1/4"	09720
	STCF6-6	3/8"	3/8"	09724
	STCF8-8	1/2"	1/2"	09728
	STCF12-12	3/4"	3/4"	09732
<b>COUPLER MALE PIPE THREAD</b> 	STCM4-6	1/4"	1/4"	09721
	STCM4-6	3/8"	3/8"	09725
	STCM8-8	1/2"	1/2"	09729
<b>NIPPLE FEMALE PIPE THREAD</b> 	STNF4-4	1/4"	1/4"	09722
	STNF6-6	3/8"	3/8"	09726
	STNF8-8	1/2"	1/2"	09730
<b>NIPPLE MALE PIPE THREAD</b> 	STNM4-4	1/4"	1/4"	09723
	STNM6-6	3/8"	3/8"	09727
	STNM8-8	1/2"	1/2"	09731
	STNF12-12	3/4"	3/4"	09733

Rated Working Pressure: 1/4" 4500 psi, 3/8" 3500 psi, 1/2" 2500 psi

## INDUSTRIAL INTERCHANGE SLEEVE TYPE QUICK DISCONNECT COUPLING WITH SAFETY SLEEVE GUARD

### FEATURES

- Interchangeability-Safety-Sleeve guard at end of coupler prevents accidental uncoupling.
- Free Flow-Full opening tubular valve permits unrestricted flow, protects and supports the seal.
- Seal Material-O-Rings and seals are standard Buna-N.

### SPECIFICATIONS

Body Size	1/4"	3/8"	1/2"
Working Pressure(psig)	300	300	300
Temperature Range:	-40° to +250° F		
Locking Device	4 balls	8 balls	8 balls

#### Force Required to Connect

With 80 psi initial pressure	17	19	39
With 100 psi initial pressure	20	21	42



#### Burst Pressure (psig)

Disconnected (coupler only)	15,000	14,000	3,000
Connected	18,000	14,000	11,000

#### Vacuum Data (inches Hg)

Disconnected (coupler only)	Not Recommended		
Connected	29.5	29.5	29.5

Finish: Steel couplers are case hardened with black gun-metal finish.

PART	PART NO.	BODY SIZE	THREAD SIZE	PRODUCT CODE
 <b>COUPLER FEMALE PIPE THREAD</b>	CF4-4	1/4"	1/4"	09699
	CF4-6	1/4"	3/8"	09742
	CF6-6	3/8"	3/8"	09700
	CF8-8	1/2"	1/2"	09701
 <b>COUPLER MALE PIPE THREAD</b>	CM4-4	1/4"	1/4"	09702
	CM4-6	1/4"	3/8"	09741
	CM6-6	3/8"	3/8"	09703
	CM8-8	1/2"	1/2"	09704

---

**NIPPLE FEMALE PIPE THREAD**

NF4-4	1/4"	1/4"	09705
NF4-6	1/4"	3/8"	09745
NF6-6	3/8"	3/8"	09706
NF8-8	1/2"	1/2"	09707

---

**NIPPLE MALE PIPE THREAD**

NM4-4	1/4"	1/4"	09708
NM4-6	1/4"	3/8"	09744
NM6-6	3/8"	3/8"	09709
NM8-8	1/2"	1/2"	09710

---

12" Brass Chains W/S-Hook Product Code 13321

[Previous Page](#) || [View PDF of Hose Couplings](#) 

---

Rubber & Accessories, Inc. | Lakeland, FL - 800.282.1734 | | Tucker, GA - 800.647.3743 | Email: [INFO](#)

---

# ra Rubber & Accessories

**Your Hose and Belting Resource**

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



## HOSE ACCESSORIES

### HOSE REELS

A complete line of Spring Rewind Reels, Hand Crank Rewind Reels or Power Rewind Reels in Steel or Stainless Steel are available in a matter of days.

Sizes 1/4" - 1 1/2" Hose I.D.

Air - Liquids. Low - Medium - High Pressures to 2500 PSI.

### HAND CRANK



HOSE I.D.	HOSE LENGTH	HOSE W.P.	PRODUCT CODE
3/8"	350	300	09988
1/2"	270	300	09989

### SPRING REWIND



HOSE I.D.	HOSE LENGTH	HOSE W.P.	PRODUCT CODE
3/8"	50	300	09990
1/2"	50	300	09991

[Previous Page](#) || [View PDF of Hose Accessories](#) 

Rubber & Accessories, Inc. | Lakeland, FL - 800.282.1734 || Tucker, GA - 800.647.3743 | Email: [INFO](#)

# ra Rubber & Accessories

**Your Hose and Belting Resource**

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



## PANE SHANK COUPLINGS

### KING-COMBINATION NIPPLE



SIZE ID	PLAIN STEEL	316 STAINLESS STEEL	PLATED STEEL	POLYPROPYLENE
1/2"	09000	09028	09167	09019
3/4"	09001	09029	09168	09020
1"	09002	09030	09169	09021
1 1/4"	09003	09031	09170	09022
1 1/2"	09004	09032	09171	09023
2"	09005	09033	09172	09024
2 1/2"	09006	----	09173	----
3"	09007	09035	09174	09025
4"	09008	09036	09175	09026
5"	09009	----	----	----
6"	09010	----	----	----
8"	09011	----	----	----
10"	09012	----	----	----
12"	09013			

All IPT Threads

### PLATED HOSE MENDER



HOSE SIZE	PRODUCT CODE
1/4"	09098
3/8"	09099
1/2"	09100
5/8"	09101
3/4"	09102
1"	09103
1¼"	09104
1½"	09106
2"	09107
2½"	09108
3"	09109
4"	09110
5"	09111
6"	09112
8"	09113

## STEEL HOSE NIPPLES



HOSE SIZE	THREAD SIZE	REGULAR PRODUCT CODE	HARDENED PRODUCT CODE
1/4"	1/8"	09127	10900
1/4"	1/4"	09128	10901
1/4"	3/8"	09129	10902
3/8"	1/4"	09130	10903
3/8"	3/8"	09131	10904
3/8"	1/2"	09132	10905
1/2"	1/4"	09133	10906
1/2"	3/8"	09134	10907
1/2"	1/2"	09135	10908
1/2"	3/4"	09136	10909
3/4"	1/2"	09137	10910
3/4"	3/4"	09138	10911
3/4"	1"	----	10912
1"	3/4"	----	10913
1"	1"	09140	10914
1¼"	1¼"	09141	----
1½"	1½"	09142	----

## LONG SHANK



HOSE SIZE	1/2" - 1" PLATED STEEL I.P.T. 1 1/4" - 2" MALLEABLE IRON I.P.T.		BRASS I.P.T.	
	MALE	FEMALE	MALE	FEMALE
1/2"	09068	09069	----	----
3/4"	09070	09071	09249	09250
1"	09072	09073	09251	09252
1 1/4"	09074	09075	09253	09254
1 1/2"	09076	09077	09255	09256
2"	09078	09079	09257	09258
2 1/2"	----	----	09259	09260

## SHORT SHANK



HOSE SIZE	ALUMINUM W/BRASS NUTS I.P.T		BRASS I.P.T.		BRASS N.S.T.	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
1 1/4"	09050	09051	09227	09228	----	----
1 1/2"	09052	09053	09229	09230	09243	09244
2"	09054	09055	09231	09232	----	----
2 1/2"	09056	09057	09233	09234	09245	09246
3"	09058	09059	09235	09236	----	----
4"	09060	09061	09237	09238	----	----
6"	09064	09065	----	----	----	----
2 1/2" SHORT SHANK MI NST						
MALE		FEMALE				
09247		09248				
1" MXF I.P.T BRASS (SET)						
09225						

## RUBBER WASHERS FOR SHANK TYPE COUPLINGS

COUPLING SIZE	PRODUCT CODE
3/4"	09080
1"	09081
1 1/4"	09082

1½"	09083
2"	09084
2½"	09085
3"	09086
4"	09087
5"	09088
6"	09089

## BRASS PUSH-ON COUPLINGS



HOSE SIZE	THREAD SIZE	MALE	FEMALE
1/4"	1/8"	09863	----
1/4"	1/4"	09864	09886
1/4"	3/8"	09865	----
3/8"	1/4"	09870	09888
3/8"	3/8"	09871	09889
1/2"	1/2"	09876	09891
3/4"	3/4"	09882	09894

## PAINT AND AIR HOSE COUPLING REUSABLE



HOSE I.D.	SIZE O.D.	SERVICE	THREAD	PRODUCT CODE
5/16"	5/8"	AIR	1/4" NPS	09325
3/8"	11/16"	FLUID	3/8" NPS	09326
1/2"	7/8"	FLUID	1/2" NPS	09327

[Previous Page](#) || [View PDF of Hose Couplings](#) 

# ra Rubber & Accessories

**Your Hose and Belting Resource**

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



## HOSE COUPLINGS

### EXTERNALLY SWAGED/CRIMPED COUPLINGS MALE PIPE ENDS

Designed for hose sizes up to and including 10" I.D. with carbon steel Stems and Ferrules. Stainless steel stems and ferrules are available for hose sizes up to and including 6" I.D.

Plated Carbon Steel Stem with Plated Carbon Steel Ferrule

Includes appropriate ferrule for Hose O.D.

FOR HOSE: Wire Braid - Textile Braid - Air Hose - Water Hose



#### SWAGED

HOSE I.D.	PRODUCT CODE
1 ¼"	10600
1 ½"	10601
2"	10602
2 ½"	10603
3"	10604
4"	10605

#### CRIMP

HOSE I.D.	PRODUCT CODE
2"	10620
2 ½"	10606

Stainless Steel Stem with Stainless Steel Ferrule



### CRIMPED

HOSE I.D.	PRODUCT CODE
1½"	10625
2"	10626
3"	10627
4"	10628

### CAM & GROOVE ENDS W/ LOCKING HANDLE & LOCKING COLLAR

Designed to provide maximum coupling retention on chemical transfer and acid hoses. extensive testing confirms maximum level of safety.

### STAINLESS STEEL PART C - LOCKING HANDLE WITH STAINLESS STEEL FERRULE



HOSE I.D.	PRODUCT CODE*
1½"	13430
2"	13432
3"	13434
4"	13436

### PART E - STAINLESS STEEL WITH STAINLESS STEEL FERRULE




HOSE I.D.	PRODUCT CODE*
1½"	13440
2"	13442
3"	13444
4"	13446

## PLASTER AND GROUT HOSE COUPLINGS

Provides full flow capabilities for maximum delivery of abrasive material eliminating internal build up between hose I.D. and coupling shank.

Victaulic End



HOSE I.D.	PRODUCT CODE
2"	09348

Heavy Duty Raised



HOSE I.D.	PRODUCT CODE
2"	09351

Male End



MPT AND HOSE I.D.	PRODUCT CODE
2"	09349

# ra Rubber & Accessories

**Your Hose and Belting Resource**

Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743



## HOSE ACCESSORIES

### UNIVERSALAIR HOSE COUPLINGS



SIZE ID	HOSE ENDS	MALE END	FEMALE END
1/4"	----	09364	09369
3/8"	09360	09365	09370
1/2"	09361	09366	09371
3/4"	09362	09367	09372
1"	09363	09368	09373
GASKET		PRODUCT CODE	
STANDARD		09355	
OIL RESISTANT		09357	

### SAFETY CLIPS



PRODUCT CODE

09358

### SAFETY LANYARDS

PRODUCT CODE

09359

### THREE-WAY CONNECTION



PRODUCT CODE

09374

### DEAD END



PRODUCT CODE

09375

### UNIVERSAL AIR HOSE COUPLINGS

Crimped or swaged to provide maximum safety in a universal hose end permanently attached with a low profile ferrule.



HOSE ID

PRODUCT CODE

3/4"

09379

1"


09382

### GASKETS

PRODUCT CODE

09409

FOUR LUG UNIVERSAL AIR HOSE COUPLINGS.



SIZE ID	HOSE ENDS	FEMALE N.P.T. ENDS
1 ¼"	09410	09413
1 ½"	09411	09414
2"	09412	09415

Air Hose - Water Hose - Mild Chemicals

[Previous Page](#)



[View PDF of Hose Couplings](#)

# ra Rubber & Accessories

**Your Hose and Belting Resource**

**Lakeland, FL - 800-282-1734 / Tucker, GA - 800-647-3743**



## OUR MISSION

is to continue to build our business on the solid foundation of ethics, service and reliability.

## OUR INTENTION

is to profit, but only in such a manner as to be compatible with these guidelines.

Our combined years of experience in the industrial rubber industry is substantial and because of this we feel uniquely qualified and deeply honored to serve the industrial rubber needs of our customers.

## TERMS AND CONDITIONS

- Payment: Net 30 days, subject to credit approval. Discounts improperly taken will be charged back. A service charge of 1½% per month will be made on all delinquent accounts.
- Freight: Full freight allowed on orders of \$2,500 net or more to one destination East of the Mississippi
- Prices: Subject to change without notice.
- Warranty: All products are guaranteed against defective material and/or workmanship. Warranty or guarantee is limited to the purchase of merchandise only.
- Credit: Permission must be granted before any merchandise can be returned for credit. A return Authorization Number must accompany all returned merchandise.

## MAILING ADDRESS

### FLORIDA

Warehouse / Sales Office

2120 Edgewood Drive So.  
Lakeland, FL 33803

## **GEORGIA**

Warehouse / Sales Office  
4754-F. N. Royal Atlanta Dr.  
Tucker, GA 30084

### **Remit to:**

P.O. Box 777  
Eaton Park, FL 33840

## **PHONE**

### **lakeland office/warehouse**

Local: 863-665-6115  
Fax: 863-665-4540  
Toll Free: 800-282-1734

### **atlanta office/warehouse**

Local: 770-934-6062  
Fax: 770-934-9024  
Toll Free: 800-647-3743

Copyright 2009 - by Rubber & Accessories, Inc. All rights reserved. No part of this catalog may be reproduced or transmitted in any form or by any means, electronic or mechanical, including, but not limited to, photocopy, recording or information storage without permission in writing from the publisher.

**Rubber & Accessories, Inc. | Lakeland, FL - 800-282-1734 | |Tucker, GA - Phone: 800-647-3743 | Email: [INFO](#)**